

NL-410 Metal
NL-410P Phenolic
Stepped Baffle

Finish: Baffle W Ring W, B, C, G, N, CO, BZ
Lamp: 50/75W 12V MR16 OD: 4-3/4"
Adjustment: 35°



Metal NL-411
Phenolic NL-411P
Black Stepped Baffle

Finish: Baffle B Ring W, B, C, G, N, CO
Lamp: 50/75W 12V MR16 OD: 4-3/4"
Adjustment: 35°

NL-410N
Stepped Baffle

Finish: Baffle N Ring W, B, C, G, N, CO, BZ
Lamp: 50/75W 12V MR16 OD: 4-3/4"
Adjustment: 35°



NL-410CO
Stepped Baffle

Finish: Baffle CO Ring W, B, C, G, N, CO, BZ
Lamp: 50/75W 12V MR16 OD: 4-3/4"
Adjustment: 35°

NL-411G
Stepped Baffle

Finish: Baffle B Ring G
Lamp: 50/75W 12V MR16 OD: 4-3/4"
Adjustment: 35°



NL-411B
Stepped Baffle

Finish: Baffle B Ring B
Lamp: 50/75W 12V MR16 OD: 4-3/4"
Adjustment: 35°

NL-412
Gold Reflector

Finish: G
Lamp: 50/75W 12V MR16 OD: 4-3/4"
Adjustment: 35°



NL-412G
Gold Reflector w/ Gold Ring

Finish: Reflector G Ring G
Lamp: 50/75W 12V MR16 OD: 4-3/4"
Adjustment: 35°

NL-413
Black Reflector

Finish: B
Lamp: 50/75W 12V MR16 OD: 4-3/4"
Adjustment: 35°



NL-416
White Reflector

Finish: W
Lamp: 50/75W 12V MR16 OD: 4-3/4"
Adjustment: 35°

NL-414
Chrome Reflector

Finish: C
Lamp: 50/75W 12V MR16 OD: 4-3/4"
Adjustment: 35°



NL-417CW
Chrome Reflector w/Cross Louver White Ring

Finish: C, G
Lamp: 50/75W 12V MR16 OD: 4-3/4"

NL-452NN
Reflector

Finish: Reflector N Ring B, W, C, G, N, CO
Lamp: 50/75W 12V MR16 OD: 4-3/4"
Adjustment: 35°



NL-453COCO
Reflector

Finish: Reflector CO Ring B, W, C, G, N, CO
Lamp: 50/75W 12V MR16 OD: 4-3/4"
Adjustment: 35°

Trim finishes: **White, Black, Chrome, Gold, Natural Metal, Copper & BZ** Bronze

Over size and die-cast replacement rings are available - see page 191

overview



Incandescent

Warm Bright Inviting

Nora Lighting's family of incandescent fixtures provides a warm, bright atmosphere for any interior. "A" type lamps or "R" type reflector lamps can be used to provide a brilliant glow. PAR type reflector lamps provide accents to important surfaces and colors. New products include a lensless shower trim that can be used with sources up to 100 Watts.



Sloped Ceiling

Flexible Precise Angled

To meet the challenge of providing vertical illumination from a sloped ceiling, Nora Lighting has developed a family of fixtures complete with dual-angle adjustments and ellipsoidal trims to compensate for sloped angles with as small of an aperture as possible. Nora's sloped housings and trims are available with either incandescent or energy-saving compact fluorescent light sources.



Low Voltage Halogen

Brilliant Focused Elegant

Nora Lighting's low voltage halogen offering uses highly efficient halogen sources delivering pure white regions of light to strategic areas within any interior. Various beam spreads allow highlights of large areas or pinpointing small objects. Low voltage halogen fixtures create elegance in any design setting.



Compact Fluorescent

Efficient Reliable Consistent

For energy-efficient applications, Nora Lighting offers a vast array of fixtures in 4-, 5-, 6- and 8-inch apertures that accept 13W to 42W compact fluorescent light sources. Ideal for commercial, office, bath and kitchen applications, Nora's compact fluorescent fixtures are available as horizontal or vertical with optional architectural dimming features.



HID Metal Halide

High-Performance Efficiency Accuracy

Large objects, high ceilings, wide areas – Nora Lighting's HID fixtures are ideal for merchandise display, lobbies, museums, showrooms and any other application requiring brilliant, well-defined lighting in a large area. Nora's HID fixtures can be installed in new or existing ceilings and are available in apertures from 4 to 8- inches, with standard or color-accurate ceramic metal halide sources, including the newly developed 20W MR16 GX10 lamp.

NL-410 Metal
NL-410P Phenolic
Adjustable Stepped Baffle

Finish: Baffle W Ring W, B, C, G, N, CO
Lamp: 50W 120V MR16 GU10.0
OD: 4-3/4"
Adjustment: 23°



NL-411 Metal
NL-411P Phenolic
Adjustable Black Stepped Baffle

Finish: Baffle B Ring W, B, C, G, N, CO
Lamp: 50W 120V MR16 GU10.0
OD: 4-3/4"
Adjustment: 35°

NL-410N
Adjustable Stepped Baffle

Finish: Baffle N Ring W, B, C, G, N, CO, BZ
Lamp: 50W 120V MR16 GU10.0
OD: 4-3/4"
Adjustment: 23°



NL-410CO
Adjustable Stepped Baffle

Finish: Baffle CO Ring W, B, C, G, N, CO
Lamp: 50W 120V MR16 GU10.0
OD: 4-3/4"
Adjustment: 23°

NL-411G
Adjustable Stepped Baffle

Finish: Baffle B Ring G
Lamp: 50W 120V MR16 GU10.0
OD: 4-3/4"
Adjustment: 35°



NL-411B
Adjustable Black Baffle w/ Black Ring

Finish: Baffle B Ring B
Lamp: 50W 120V MR16 GU10.0
OD: 4-3/4"
Adjustment: 35°

NL-412
Adjustable Gold Reflector

Finish: G
Lamp: 50W 120V MR16 GU10.0
OD: 4-3/4"



NL-412G
Adjustable Gold Reflector w/ Gold Ring

Finish: Reflector G Ring G
Lamp: 50W 120V MR16 GU10.0
OD: 4-3/4"

NL-413
Adjustable Black Reflector

Finish: C
Lamp: 50W 120V MR16 GU10.0
OD: 4-3/4"



NL-416
Adjustable White Reflector

Finish: W
Lamp: 50W 120V MR16 GU10.0
OD: 4-3/4"

NL-414
Adjustable Chrome Reflector

Finish: C
Lamp: 50W 120V MR16 GU10.0
OD: 4-3/4"
Adjustment: 30°



NL-417CW
Chrome Reflector w/Cross Louver White Ring

Finish: C, G
Lamp: 50W 120V MR16 GU10.0
OD: 4-3/4"

NL-452NN
Adjustable Reflector

Finish: Reflector N Ring B, W, C, G, N, CO
Lamp: 50W MR16 GU10 OD: 4-3/4"



NL-453COCO
Adjustable Reflector

Finish: Reflector CO Ring B, W, C, G, N, CO
Lamp: 50W MR16 GU10 OD: 4-3/4"

Trim finishes: **White, Black, Chrome, Gold, Natural Metal, Copper & BZ** Bronze
Over size and die-cast replacement rings are available - see page 190